




Type

- 4 Stroke
- Air Cooled
- V Twin
- Overhead valve
- Vertical Shaft

Performance curves

The power rating of this engine is the Net power rating tested on a production engine and measured in accordance with SAE J1349.Actual power output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.



Technical Specifications

■ Engine Type	4-Stroke, Vertical Shaft, V-Twin, OHV, Air-cooled
Number of cylinders	2
■ Bore x stroke	73 x 72 mm
Displacement	603 cm ³
■ Max. power	12.7 kW (17.0 hp) / 3600 rpm
■ Max. torque	40.9 Nm (30.2ft.lbs) / 2400 rpm
Fuel tank capacity	
Oil capacity	2.0 litres
■ Dry weight	36.7 kg
■ Dimensions (L x W x H) (mm)	482 x 429 x 370



Features

- 90 degree V-twin
- Automatic compression release
- Bendix type starter
- Cast iron cylinder liners
- Electronic spark ignition

- High performance lubrication system
- Internally vented carburetor with fuel shut-off solenoid
- Overhead V-valves
- Rotating grass screen
- Spherical combustion chambers

Options

- Muffler
- Oil pressure switches
- Shaft variations

- 20 Amp charge coil
- Various oil drains
- Various speed control system

FR Series FR600V

