




# Type

- 4 Stroke
- Air Cooled
- V Twin
- Overhead valve
- Vertical Shaft

### **Performance curves**

The power rating of this engine is the Net power rating tested on a production engine and measured in accordance with SAE J1349.Actual power output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.



### **Technical Specifications**

■ Engine Type	4-Stroke, Vertical Shaft, V-Twin, OHV, Air-cooled,
<ul> <li>Number of cylinders</li> </ul>	2
■ Bore x stroke	84.5 x 76 mm
<ul><li>Displacement</li></ul>	852 cm³
■ Max. power	19.6 kW (26.3 hp) / 3600 rpm
■ Max. torque	60.8 Nm (44.9 ft.lbs) / 2400 rpm
■ Fuel tank capacity	
Oil capacity	2.4 litres
<ul><li>Dry weight</li></ul>	56.4 kg
■ Dimensions (L x W x H) (mm)	488 x 465 x 626



#### **Features**

- 90 degree V-twin
- Automatic compression release
- Cast iron cylinder liners
- Clean out ports
- Dual stage canister air filter
- Electronic spark ignition
- Heavy duty shift type starter

- High efficiency oil cooler
- High performance lubrication system
- Metal engine cover
- Overhead V-valves
- Rotating grass screen
- Spherical combustion chambers
- Twin barrel, internally vented carburetor with fuel shut-off solenoid

## **Options**

- Muffler
- Oil pressure switches
- 20 Amp charge coil

- Various oil drains
- Various speed control system



