




Performance curves

The power rating of this engine is the Net power rating tested on a production engine and measured in accordance with SAE J1349.Actual power output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.



Туре

- 2 Stroke
- Air Cooled
- Single Cylinder
- Horizontal Shaft

Technical Specifications

Engine Type	2-Stroke, Horizontal Shaft, Single Cylinder, Air-cooled
 Max. power 	2.0 kW (2.68 hp) / 8500 rpm
 Oil capacity 	
 Number of cylinders 	1
 Displacement 	53.2cm ³
 Dimensions (L x W x H) (mm) 	203 x 290 x 275
 Bore x stroke 	44 x 35 mm
 Fuel tank capacity 	1.1 litres
 Max. torque 	3.0 Nm (2.21 ft.lbs) / 5000 rpm
 Dry weight 	4.5 kg



Features

- Centrifugal clutch installed
- Lightweight piston
- Low tone muffler
- Heavy-duty clutch
- Crankcase machined as a set
- 50:1 fuel mixture

- Kawasaki stratified scavenging system
- Full cover design
- KAR starter
- Polyurethane foam air filter
- Diaphragm carburetor
- Dynamically balanced flywheel



